

Package: scda.2022 (via r-universe)

July 1, 2024

Type Package

Title Synthetic CDISC Data Archive 2022

Version 0.1.5

Date 2023-07-14

Description An archive of synthetic CDISC data for 2022.

License Apache License 2.0 | file LICENSE

Depends R (>= 3.6)

Config/Needs/website insightsengineering/nesttemplate

Encoding UTF-8

Language en-US

LazyData true

LazyDataCompression bzip2

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Repository <https://insightsengineering.r-universe.dev>

RemoteUrl <https://github.com/insightsengineering/scda.2022>

RemoteRef v0.1.5

RemoteSha 5b08051312fababe15476f21323d17bcbb0543cf

Contents

red_data_2022	2
red_data_2022_01_28	2
red_data_2022_02_28	4
red_data_2022_06_27	6
red_data_2022_10_13	7
red_data_2023_03_17	9
red_data_2023_07_07	11

Index	13
--------------	-----------

rcd_data_2022	<i>Cached datasets from</i> random.cdisc.data
---------------	---

Description

Cached datasets from 2022 releases of random.cdisc.data.

Usage

rcd_2022_01_28

rcd_2022_02_28

rcd_2022_06_27

rcd_2022_10_13

rcd_2023_03_17

rcd_2023_07_07

Format

An object of class `list` of length 18.

An object of class `list` of length 19.

An object of class `list` of length 19.

An object of class `list` of length 20.

An object of class `list` of length 20.

An object of class `list` of length 20.

rcd_data_2022_01_28	<i>Cached datasets from the 2022_01_28 release of</i> random.cdisc.data
---------------------	--

Description

Cached datasets from the 2022_01_28 release of random.cdisc.data

Usage

rcd_2022_01_28_ads1
rcd_2022_01_28_adae
rcd_2022_01_28_adaette
rcd_2022_01_28_adcm
rcd_2022_01_28_addv
rcd_2022_01_28_adeq
rcd_2022_01_28_adex
rcd_2022_01_28_adhy
rcd_2022_01_28_adlb
rcd_2022_01_28_admh
rcd_2022_01_28_adpc
rcd_2022_01_28_adpp
rcd_2022_01_28_adqs
rcd_2022_01_28_adrs
rcd_2022_01_28_adsub
rcd_2022_01_28_adtr
rcd_2022_01_28_adtte
rcd_2022_01_28_advs

Format

An object of class *tbl_df* (inherits from *tbl*, *data.frame*) with 400 rows and 39 columns.
An object of class *tbl_df* (inherits from *tbl*, *data.frame*) with 1934 rows and 69 columns.
An object of class *tbl_df* (inherits from *tbl*, *data.frame*) with 3600 rows and 50 columns.
An object of class *tbl_df* (inherits from *tbl*, *data.frame*) with 3602 rows and 57 columns.
An object of class *tbl_df* (inherits from *tbl*, *data.frame*) with 103 rows and 50 columns.
An object of class *tbl_df* (inherits from *tbl*, *data.frame*) with 13600 rows and 72 columns.
An object of class *tbl_df* (inherits from *tbl*, *data.frame*) with 6400 rows and 51 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 20000 rows and 55 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 8400 rows and 78 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 49 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3582 rows and 50 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3582 rows and 48 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 14000 rows and 57 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3200 rows and 49 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 49 columns.
An object of class `data.frame` with 2800 rows and 61 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1600 rows and 50 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 16800 rows and 69 columns.

`rcd_data_2022_02_28` *Cached datasets from the 2022_02_28 release of*
`random.cdisc.data`

Description

Cached datasets from the 2022_02_28 release of `random.cdisc.data`

Usage

`rcd_2022_02_28_ads1`
`rcd_2022_02_28_adab`
`rcd_2022_02_28_adae`
`rcd_2022_02_28_adaette`
`rcd_2022_02_28_adcm`
`rcd_2022_02_28_addv`
`rcd_2022_02_28_adeq`
`rcd_2022_02_28_adex`
`rcd_2022_02_28_adhy`
`rcd_2022_02_28_adlb`
`rcd_2022_02_28_admh`

rcd_2022_02_28_adpc
rcd_2022_02_28_adpp
rcd_2022_02_28_adqs
rcd_2022_02_28_adrs
rcd_2022_02_28_adopt
rcd_2022_02_28_adtr
rcd_2022_02_28_adtte
rcd_2022_02_28_advs

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 400 rows and 44 columns.
An object of class `data.frame` with 1596 rows and 21 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 74 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3600 rows and 55 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3685 rows and 68 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 103 rows and 55 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 13600 rows and 77 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 6400 rows and 56 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 20000 rows and 60 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 8400 rows and 85 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 55 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 4378 rows and 57 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 13134 rows and 55 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 14000 rows and 62 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3200 rows and 54 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 54 columns.
An object of class `data.frame` with 2800 rows and 66 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1600 rows and 55 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 16800 rows and 76 columns.

rcd_data_2022_06_27 *Cached datasets from the 2022_06_27 release of*
random.cdisc.data

Description

Cached datasets from the 2022_06_27 release of random.cdisc.data

Usage

rcd_2022_06_27_adsl
rcd_2022_06_27_adab
rcd_2022_06_27_adae
rcd_2022_06_27_adaette
rcd_2022_06_27_adcm
rcd_2022_06_27_addv
rcd_2022_06_27_adeq
rcd_2022_06_27_adex
rcd_2022_06_27_adhy
rcd_2022_06_27_adlb
rcd_2022_06_27_admh
rcd_2022_06_27_adpc
rcd_2022_06_27_adpp
rcd_2022_06_27_adqs
rcd_2022_06_27_adrs
rcd_2022_06_27_adsub
rcd_2022_06_27_adtr
rcd_2022_06_27_adtte
rcd_2022_06_27_advb

Format

An object of class tbl_df (inherits from tbl, data.frame) with 400 rows and 56 columns.
 An object of class data.frame with 93632 rows and 21 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 1934 rows and 92 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 3600 rows and 67 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 3685 rows and 84 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 103 rows and 67 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 13600 rows and 89 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 6400 rows and 80 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 20000 rows and 72 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 8400 rows and 103 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 1934 rows and 68 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 7570 rows and 72 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 26268 rows and 69 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 14000 rows and 74 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 3200 rows and 66 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 2000 rows and 66 columns.
 An object of class data.frame with 2800 rows and 77 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 2000 rows and 68 columns.
 An object of class tbl_df (inherits from tbl, data.frame) with 16800 rows and 88 columns.

rca_data_2022_10_13 *Cached datasets from the 2022_10_13 release of*
 random.cdsc.data

Description

Cached datasets from the 2022_10_13 release of random.cdsc.data

Usage

rca_2022_10_13_ads1
 rca_2022_10_13_adab
 rca_2022_10_13_adae
 rca_2022_10_13_adaette
 rca_2022_10_13_adcm

rcd_2022_10_13_addv
rcd_2022_10_13_adeq
rcd_2022_10_13_adex
rcd_2022_10_13_adhy
rcd_2022_10_13_adlb
rcd_2022_10_13_admh
rcd_2022_10_13_adpc
rcd_2022_10_13_adpp
rcd_2022_10_13_adqlqc
rcd_2022_10_13_adqs
rcd_2022_10_13_adrs
rcd_2022_10_13_adsub
rcd_2022_10_13_adtr
rcd_2022_10_13_adtte
rcd_2022_10_13_adv

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 400 rows and 56 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 58520 rows and 22 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 92 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3600 rows and 67 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3685 rows and 84 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 103 rows and 67 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 13600 rows and 89 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 6400 rows and 80 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 20000 rows and 72 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 8400 rows and 103 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 68 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 6640 rows and 72 columns.
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 26268 rows and 69 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 116803 rows and 50 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 14000 rows and 74 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3200 rows and 66 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 66 columns.

An object of class `data.frame` with 2800 rows and 77 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 68 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 16800 rows and 88 columns.

`rct_data_2023_03_17` *Cached datasets from the 2023_03_17 release of*
`random.cdisc.data`

Description

Cached datasets from the 2023_03_17 release of `random.cdisc.data`

Usage

`rct_2023_03_17_ads1`

`rct_2023_03_17_adab`

`rct_2023_03_17_adae`

`rct_2023_03_17_adaette`

`rct_2023_03_17_adcm`

`rct_2023_03_17_addv`

`rct_2023_03_17_adeq`

`rct_2023_03_17_adex`

`rct_2023_03_17_adhy`

`rct_2023_03_17_adlb`

`rct_2023_03_17_admh`

`rct_2023_03_17_adpc`

`rct_2023_03_17_adpp`

`rct_2023_03_17_adqlqc`

rcd_2023_03_17_adqs
rcd_2023_03_17_adrs
rcd_2023_03_17_adsub
rcd_2023_03_17_adtr
rcd_2023_03_17_adtte
rcd_2023_03_17_advsv

Format

An object of class tbl_df (inherits from tbl, data.frame) with 400 rows and 55 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 58520 rows and 22 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 1934 rows and 92 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 3600 rows and 66 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 3685 rows and 83 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 119 rows and 66 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 13600 rows and 88 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 6400 rows and 79 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 20000 rows and 71 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 8400 rows and 102 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 1934 rows and 67 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 6640 rows and 71 columns.
An object of class data.frame with 26268 rows and 68 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 116803 rows and 50 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 14000 rows and 73 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 3200 rows and 65 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 2000 rows and 65 columns.
An object of class data.frame with 2800 rows and 76 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 2000 rows and 67 columns.
An object of class tbl_df (inherits from tbl, data.frame) with 16800 rows and 87 columns.

rcd_data_2023_07_07 *Cached datasets from the 2023_07_07 release of*
random.cdisc.data

Description

Cached datasets from the 2023_07_07 release of random.cdisc.data

Usage

rcd_2023_07_07_ads1
rcd_2023_07_07_adab
rcd_2023_07_07_adae
rcd_2023_07_07_adaette
rcd_2023_07_07_adcm
rcd_2023_07_07_addv
rcd_2023_07_07_adeq
rcd_2023_07_07_adex
rcd_2023_07_07_adhy
rcd_2023_07_07_adlb
rcd_2023_07_07_admh
rcd_2023_07_07_adpc
rcd_2023_07_07_adpp
rcd_2023_07_07_adqlqc
rcd_2023_07_07_adqs
rcd_2023_07_07_adrs
rcd_2023_07_07_adsub
rcd_2023_07_07_adtr
rcd_2023_07_07_adtte

rcd_2023_07_07_adv

rcd_2023_07_07_adqlqc

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 400 rows and 55 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 6916 rows and 21 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 92 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3600 rows and 66 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3685 rows and 83 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 119 rows and 66 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 13600 rows and 88 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 6400 rows and 79 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 20000 rows and 71 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 8400 rows and 102 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 67 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 6640 rows and 72 columns.

An object of class `data.frame` with 26268 rows and 68 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 116803 rows and 50 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 14000 rows and 73 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3200 rows and 65 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 65 columns.

An object of class `data.frame` with 2800 rows and 76 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 67 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 16800 rows and 87 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 116803 rows and 50 columns.

Index

* datasets

- rcd_data_2022, 2
- rcd_data_2022_01_28, 2
- rcd_data_2022_02_28, 4
- rcd_data_2022_06_27, 6
- rcd_data_2022_10_13, 7
- rcd_data_2023_03_17, 9
- rcd_data_2023_07_07, 11

- rcd_2022_01_28 (rcd_data_2022), 2
- rcd_2022_01_28_adae (rcd_data_2022_01_28), 2
- rcd_2022_01_28_adaette (rcd_data_2022_01_28), 2
- rcd_2022_01_28_adcm (rcd_data_2022_01_28), 2
- rcd_2022_01_28_addv (rcd_data_2022_01_28), 2
- rcd_2022_01_28_adeq (rcd_data_2022_01_28), 2
- rcd_2022_01_28_adex (rcd_data_2022_01_28), 2
- rcd_2022_01_28_adhy (rcd_data_2022_01_28), 2
- rcd_2022_01_28_adlb (rcd_data_2022_01_28), 2
- rcd_2022_01_28_admh (rcd_data_2022_01_28), 2
- rcd_2022_01_28_adpc (rcd_data_2022_01_28), 2
- rcd_2022_01_28_adpp (rcd_data_2022_01_28), 2
- rcd_2022_01_28_adqs (rcd_data_2022_01_28), 2
- rcd_2022_01_28_adrs (rcd_data_2022_01_28), 2
- rcd_2022_01_28_ads1 (rcd_data_2022_01_28), 2
- rcd_2022_01_28_adsub (rcd_data_2022_01_28), 2

- rcd_2022_01_28_adtr (rcd_data_2022_01_28), 2
- rcd_2022_01_28_adtte (rcd_data_2022_01_28), 2
- rcd_2022_01_28_adv (rcd_data_2022_01_28), 2
- rcd_2022_02_28 (rcd_data_2022), 2
- rcd_2022_02_28_adab (rcd_data_2022_02_28), 4
- rcd_2022_02_28_adae (rcd_data_2022_02_28), 4
- rcd_2022_02_28_adaette (rcd_data_2022_02_28), 4
- rcd_2022_02_28_adcm (rcd_data_2022_02_28), 4
- rcd_2022_02_28_addv (rcd_data_2022_02_28), 4
- rcd_2022_02_28_adeq (rcd_data_2022_02_28), 4
- rcd_2022_02_28_adex (rcd_data_2022_02_28), 4
- rcd_2022_02_28_adhy (rcd_data_2022_02_28), 4
- rcd_2022_02_28_adlb (rcd_data_2022_02_28), 4
- rcd_2022_02_28_admh (rcd_data_2022_02_28), 4
- rcd_2022_02_28_adpc (rcd_data_2022_02_28), 4
- rcd_2022_02_28_adpp (rcd_data_2022_02_28), 4
- rcd_2022_02_28_adqs (rcd_data_2022_02_28), 4
- rcd_2022_02_28_adrs (rcd_data_2022_02_28), 4
- rcd_2022_02_28_ads1 (rcd_data_2022_02_28), 4
- rcd_2022_02_28_adsub (rcd_data_2022_02_28), 4

rcd_2022_02_28_adtr
 (rcd_data_2022_02_28), 4
 rcd_2022_02_28_adtte
 (rcd_data_2022_02_28), 4
 rcd_2022_02_28_adv
 (rcd_data_2022_02_28), 4
 rcd_2022_06_27 (rcd_data_2022), 2
 rcd_2022_06_27_adab
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adae
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adaette
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adcm
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_addv
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adeq
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adex
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adhy
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adlb
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_admh
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adpc
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adpp
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adqs
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adrs
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_ads1
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adsub
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adtr
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adtte
 (rcd_data_2022_06_27), 6
 rcd_2022_06_27_adv
 (rcd_data_2022_06_27), 6
 rcd_2022_10_13 (rcd_data_2022), 2
 rcd_2022_10_13_adab
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adae
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adaette
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adcm
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_addv
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adeq
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adex
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adhy
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adlb
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_admh
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adpc
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adpp
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adqlqc
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adqs
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adrs
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_ads1
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adsub
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adtr
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adtte
 (rcd_data_2022_10_13), 7
 rcd_2022_10_13_adv
 (rcd_data_2022_10_13), 7
 rcd_2023_03_17 (rcd_data_2022), 2
 rcd_2023_03_17_adab
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adae
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adaette
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adcm
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_addv

(rcd_data_2023_03_17), 9
 rcd_2023_03_17_adeq
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adex
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adhy
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adlb
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_admh
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adpc
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adpp
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adqlqc
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adqs
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adrs
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_ads1
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adsub
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adtr
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adtte
 (rcd_data_2023_03_17), 9
 rcd_2023_03_17_adv
 (rcd_data_2023_03_17), 9
 rcd_2023_07_07 (rcd_data_2022), 2
 rcd_2023_07_07_adab
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adae
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adaette
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adcm
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_addv
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adeq
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adex
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adhy
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adlb
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_admh
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adpc
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adpp
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adqlqc
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adqs
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adrs
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_ads1
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adsub
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adtr
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adtte
 (rcd_data_2023_07_07), 11
 rcd_2023_07_07_adv
 (rcd_data_2023_07_07), 11
 rcd_data_2022, 2
 rcd_data_2022_01_28, 2
 rcd_data_2022_02_28, 4
 rcd_data_2022_06_27, 6
 rcd_data_2022_10_13, 7
 rcd_data_2023_03_17, 9
 rcd_data_2023_07_07, 11