

Package: teal.widgets (via r-universe)

September 10, 2024

Title 'shiny' Widgets for 'teal' Applications

Version 0.4.2

Date 2023-12-13

Description Collection of 'shiny' widgets to support 'teal' applications. Enables the manipulation of application layout and plot or table settings.

License Apache License 2.0

URL <https://insightsengineering.github.io/teal.widgets/>,
<https://github.com/insightsengineering/teal.widgets>

BugReports <https://github.com/insightsengineering/teal.widgets/issues>

Depends R (>= 3.6)

Imports bslib, checkmate (>= 2.1.0), ggplot2 (>= 3.4.0), graphics, grDevices, htmltools (>= 0.5.4), lifecycle (>= 0.2.0), methods, rtables (>= 0.6.6), shiny (>= 1.6.0), shinyjs, shinyWidgets (>= 0.5.1), styler (>= 1.2.0)

Suggests DT, knitr (>= 1.42), lattice (>= 0.18-4), magrittr (>= 1.5), png, shinytest2 (>= 0.2.0), shinyvalidate, testthat (>= 3.0.4), withr (>= 2.1.0)

VignetteBuilder knitr

Config/Needs/verdepcheck rstudio/bslib, mllg/checkmate, tidyverse/ggplot2, rstudio/htmltools, r-lib/lifecycle, insightsengineering/rtables, rstudio/shiny, daattali/shinyjs, dreamRs/shinyWidgets, r-lib/styler, rstudio/DT, yihui/knitr, deepayan/lattice, tidyverse/magrittr, cran/png, rstudio/shinytest2, rstudio/shinyvalidate, r-lib/testthat, r-lib/withr

Config/Needs/website insightsengineering/nesttemplate

Encoding UTF-8

Language en-US

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Repository <https://insightengineering.r-universe.dev>

RemoteUrl <https://github.com/insightengineering/teal.widgets>

RemoteRef v0.4.2

RemoteSha 76e780cc3b8b24ac5a0e8d18e7b27169d52d475e

Contents

basic_table_args	2
clean_brushedPoints	3
draggable_buckets	4
get_dt_rows	5
ggplot2_args	6
nested_closeable_modal	7
optionalSelectInput	9
optionalSliderInput	12
optionalSliderInputValMinMax	13
panel_group	14
panel_item	15
parse_basic_table_args	15
parse_ggplot2_args	16
plot_with_settings_ui	17
resolve_basic_table_args	21
resolve_ggplot2_args	23
standard_layout	24
table_with_settings	25
verbatim_popup	26
white_small_well	27
Index	29

basic_table_args	<i>Builds a basic_table_args object</i>
------------------	---

Description

[Experimental] This function has to be used to build an input for a basic_table_args argument. The basic_table_args argument should be a part of every module which contains any rtables object. Arguments are validated to match their rtables equivalents.

For more details see the vignette: `vignette("custom-basic-table-arguments", package = "teal.widgets")`.

Usage

```
basic_table_args(...)
```

Arguments

... arguments compatible with `rtables::basic_table()`.

Value

(basic_table_args) object.

See Also

- `resolve_basic_table_args()` to resolve multiple objects into one using pre-defined priorities.
- `parse_basic_table_args()` to parse resolved list into list of calls.

Examples

```
basic_table_args(subtitles = "SUBTITLE")
```

clean_brushedPoints	<i>Cleans and organizes output to account for NAs and remove empty rows.</i>
---------------------	--

Description

[Stable]

Usage

```
clean_brushedPoints(data, brush)
```

Arguments

data	(data.frame) A dataframe from which to select rows.
brush	(list) The data from a brush e.g. <code>input\$plot_brush</code> .

Value

A dataframe of selected rows.

draggable_buckets *Draggable Buckets*

Description

[Experimental] A custom widget with draggable elements that can be put into buckets.

Usage

```
draggable_buckets(input_id, label, elements = character(), buckets)
```

Arguments

input_id	(character(1)) the HTML id of this widget
label	(character(1) or shiny.tag) the header of this widget
elements	(character) the elements to drag into buckets
buckets	(character or list) the names of the buckets the elements can be put in or a list of key-pair values where key is a name of a bucket and value is a character vector of elements in a bucket

Details

shinyvalidate validation can be used with this widget. See example below.

Value

the HTML code comprising an instance of this widget

Examples

```
ui <- shiny::fluidPage(
  draggable_buckets("id", "Choices #1", c("a", "b"), c("bucket1", "bucket2")),
  draggable_buckets("id2", "Choices #2", letters, c("vowels", "consonants")),
  shiny::verbatimTextOutput("out"),
  shiny::verbatimTextOutput("out2")
)
server <- function(input, output) {
  iv <- shinyvalidate::InputValidator$new()
  iv$add_rule(
    "id",
    function(data) if (length(data[["bucket1"]]) == 0) "There should be stuff in bucket 1"
  )
  iv$enable()

  shiny::observeEvent(list(input$id, input$id2), {
    print(isolate(input$id))
    print(isolate(input$id2))
  })
}
```

```

    output$out <- shiny::renderPrint({
      iv$is_valid()
      input$id
    })
    output$out2 <- shiny::renderPrint(input$id2)
  }
  if (interactive()) shiny::shinyApp(ui, server)

# With default elements in the bucket
ui <- shiny::fluidPage(
  draggable_buckets("id", "Choices #1", c("a", "b"), list(bucket1 = character(), bucket2 = c("c"))),
  shiny::verbatimTextOutput("out")
)
server <- function(input, output) {
  shiny::observeEvent(input$id, {
    print(shiny::isolate(input$id))
  })
  output$out <- shiny::renderPrint(input$id)
}
if (interactive()) shiny::shinyApp(ui, server)

```

get_dt_rows	<i>Maps the lengthMenuSelected value property of DT::datatable to a Shiny variable.</i>
-------------	---

Description

[Stable]

Usage

```
get_dt_rows(dt_name, dt_rows)
```

Arguments

dt_name	ns() of inputId of the DT::datatable
dt_rows	ns() of inputId of the variable that holds the current selected value of lengthMenu

Value

(shiny::tagList) A shiny tagList.

Examples

```

library(shiny)
ui <- function(id) {
  ns <- NS(id)
  tagList(
    DT::DTOutput(ns("data_table")),

```

```

    get_dt_rows(ns("data_table"), ns("dt_rows"))
  )
}

# use the input$dt_rows in the Shiny Server function
server <- function(id) {
  moduleServer(id, function(input, output, session) {
    output$data_table <- DT::renderDataTable(
      {
        iris
      },
      options = list(pageLength = input$dt_rows)
    )
  })
}

if (interactive()) {
  shinyApp(
    ui = ui("my_table_module"),
    server = function(input, output, session) server("my_table_module")
  )
}

```

ggplot2_args

Creates ggplot2_args object

Description

[Experimental] Constructor of ggplot2_args class of objects. The ggplot2_args argument should be a part of every module which contains any ggplot2 graphics. The function arguments are validated to match their ggplot2 equivalents.

For more details see the vignette: `vignette("custom-ggplot2-arguments", package = "teal.widgets")`.

Usage

```
ggplot2_args(labs = list(), theme = list())
```

Arguments

labs	(named list) where all fields have to match <code>ggplot2::labs()</code> arguments.
theme	(named list) where all fields have to match <code>ggplot2::theme()</code> arguments.

Value

(ggplot2_args) object.

See Also

- [resolve_ggplot2_args\(\)](#) to resolve multiple objects into one using pre-defined priorities.
- [parse_ggplot2_args\(\)](#) to parse resolved list into list of calls.

Examples

```
ggplot2_args(
  lab = list(title = "TITLE"),
  theme = list(title = ggplot2::element_text(size = 20))
)
```

nested_closeable_modal

Nested Closeable Modal Popup

Description

[Experimental] Alternative to `shiny::modalDialog`. Create a nested modal popup that can be shown/hidden using jQuery and modal id, without disturbing the parent modal.

Usage

```
nested_closeable_modal(id, ..., modal_args = list(easyClose = TRUE))
```

Arguments

<code>id</code>	(character(1)) shiny module id for the component. Note that this id can be used to show/hide this modal with the appended jQuery methods show/hide.
<code>...</code>	(shiny.tag) shiny UI elements that will be displayed in the modal UI
<code>modal_args</code>	(list) optional list of arguments for the <code>shiny::modalDialog</code> function to customize the modal. Has <code>easyClose</code> set to <code>TRUE</code> as default

Value

(shiny.tag) returns HTML for shiny module UI which can be nested into a modal popup

Examples

```
# nolint start
library(shiny)
ui <- fluidPage(
  shinyjs::useShinyjs(),
  actionButton("show_1", "$('#modal_1').modal('show')"),
  nested_closeable_modal(
    "modal_1",
    modal_args = list(
```

```

    size = "l",
    title = "First Modal",
    easyClose = TRUE,
    footer = NULL
  ),
  tags$div(
    "This modal can be closed by running", tags$code("$('#modal_1').modal('hide')"),
    "in the JS console!",
    tags$br(),
    "Note that the second modal is placed right within this modal",
    tags$br(),
    "Alternatively, calling the", tags$code("removeModal()"),
    "will remove all the active modal popups",
    tags$br(), tags$br(),
    actionButton("show_2", "$('#modal_2').modal('show')"),
    actionButton("hide_1", "$('#modal_1').modal('hide')"),
    nested_closeable_modal(
      id = "modal_2",
      modal_args = list(
        size = "m",
        title = "Second Modal",
        footer = NULL,
        easyClose = TRUE
      ),
      div(
        "This modal can be closed by running", tags$code("$('#modal_1').modal('hide')"),
        "in the JS console!",
        "Note that removing the parent will remove the child.",
        "But, reopening will remember the open state of child",
        actionButton("hide_2", "$('#modal_2').modal('hide')"),
        actionButton("hide_all", "$('#modal_1').modal('hide')")
      )
    )
  )
)
)
)
)
server <- function(input, output) {
  observeEvent(input$show_1, {
    shinyjs::runjs("$('#modal_1').modal('show')")
  })
  observeEvent(input$show_2, {
    shinyjs::runjs("$('#modal_2').modal('show')")
  })
  observeEvent(c(input$hide_1, input$hide_all), {
    shinyjs::runjs("$('#modal_1').modal('hide')")
  })
  observeEvent(input$hide_2, {
    shinyjs::runjs("$('#modal_2').modal('hide')")
  })
}
if (interactive()) {
  shiny::shinyApp(ui, server)
}

```



```
# nolint end
```

```
optionalSelectInput  Wrapper for pickerInput
```

Description

[Stable] Wrapper for `shinyWidgets::pickerInput()` with additional features. When `fixed = TRUE` or when the number of choices is less or equal to 1 (see `fixed_on_single`), the `pickerInput` widget is hidden and non-interactive widget will be displayed instead. Toggle of HTML elements is just the visual effect to avoid displaying `pickerInput` widget when there is only one choice.

Usage

```
optionalSelectInput(
  inputId,
  label = NULL,
  choices = NULL,
  selected = NULL,
  multiple = FALSE,
  sep = NULL,
  options = list(),
  label_help = NULL,
  fixed = FALSE,
  fixed_on_single = FALSE,
  width = NULL
)

updateOptionalSelectInput(
  session,
  inputId,
  label = NULL,
  selected = NULL,
  choices = NULL
)
```

Arguments

<code>inputId</code>	The input slot that will be used to access the value.
<code>label</code>	Display label for the control, or <code>NULL</code> for no label.
<code>choices</code>	List of values to select from. If elements of the list are named then that name rather than the value is displayed to the user.
<code>selected</code>	The initially selected value (or multiple values if <code>multiple = TRUE</code>). If not specified then defaults to the first value for single-select lists and no values for multiple select lists.
<code>multiple</code>	Is selection of multiple items allowed?

sep	(character(1)) A separator string to split the choices or selected inputs into the values of the different columns.
options	List of options, see pickerOptions for all available options. To limit the number of selection possible, see example below.
label_help	(shiny.tag optional) e.g. an object returned by <code>shiny::helpText()</code> .
fixed	(logical(1) optional) whether to block user to select choices.
fixed_on_single	(logical(1) optional) whether to block user to select a choice when there is only one or less choice. When FALSE, user is still able to select or deselect the choice.
width	(character(1)) The width of the input passed to pickerInput e.g. 'auto', 'fit', '100px' or '75%'
session	(shiny.session)

Value

(shiny.tag) HTML tag with pickerInput widget and non-interactive element listing selected values.

Examples

```
library(shiny)

# Create a minimal example data frame
data <- data.frame(
  AGE = c(25, 30, 40, 35, 28),
  SEX = c("Male", "Female", "Male", "Female", "Male"),
  PARAMCD = c("Val1", "Val2", "Val3", "Val4", "Val5"),
  PARAM = c("Param1", "Param2", "Param3", "Param4", "Param5"),
  AVISIT = c("Visit1", "Visit2", "Visit3", "Visit4", "Visit5"),
  stringsAsFactors = TRUE
)

ui_grid <- function(...) {
  fluidPage(
    fluidRow(
      lapply(list(...), function(x) column(4, wellPanel(x)))
    )
  )
}

app <- shinyApp(
  ui = ui_grid(
```

```
div(
  optionalSelectInput(
    inputId = "c1",
    label = "Fixed choices",
    choices = LETTERS[1:5],
    selected = c("A", "B"),
    fixed = TRUE
  ),
  verbatimTextOutput(outputId = "c1_out")
),
div(
  optionalSelectInput(
    inputId = "c2",
    label = "Single choice",
    choices = "A",
    selected = "A"
  ),
  verbatimTextOutput(outputId = "c2_out")
),
div(
  optionalSelectInput(
    inputId = "c3",
    label = "NULL choices",
    choices = NULL
  ),
  verbatimTextOutput(outputId = "c3_out")
),
div(
  optionalSelectInput(
    inputId = "c4",
    label = "Default",
    choices = LETTERS[1:5],
    selected = "A"
  ),
  verbatimTextOutput(outputId = "c4_out")
),
div(
  optionalSelectInput(
    inputId = "c5",
    label = "Named vector",
    choices = c(`A - value A` = "A", `B - value B` = "B", `C - value C` = "C"),
    selected = "A"
  ),
  verbatimTextOutput(outputId = "c5_out")
),
div(
  selectInput(
    inputId = "c6_choices", label = "Update choices", choices = letters, multiple = TRUE
  ),
  optionalSelectInput(
    inputId = "c6",
    label = "Updated choices",
    choices = NULL,
  )
)
```

```

      multiple = TRUE,
      fixed_on_single = TRUE
    ),
    verbatimTextOutput(outputId = "c6_out")
  )
),
server = function(input, output, session) {
  observeEvent(input$c6_choices, ignoreNULL = FALSE, {
    updateOptionalSelectInput(
      session = session,
      inputId = "c6",
      choices = input$c6_choices,
      selected = input$c6_choices
    )
  })

  output$c1_out <- renderPrint({
    input$c1
  })
  output$c2_out <- renderPrint({
    input$c2
  })
  output$c3_out <- renderPrint({
    input$c3
  })
  output$c4_out <- renderPrint({
    input$c4
  })
  output$c5_out <- renderPrint({
    input$c5
  })
  output$c6_out <- renderPrint({
    input$c6
  })
}
)

if (interactive()) {
  shinyApp(app$ui, app$server)
}

```

optionalSliderInput *if min or max are NA then the slider widget will be hidden*

Description

[Stable] Hidden input widgets are useful to have the `input[[inputId]]` variable on available in the server function but no corresponding visual clutter from input widgets that provide only a single choice.

Usage

```
optionalSliderInput(inputId, label, min, max, value, label_help = NULL, ...)
```

Arguments

inputId	The input slot that will be used to access the value.
label	Display label for the control, or NULL for no label.
min, max	The minimum and maximum values (inclusive) that can be selected.
value	The initial value of the slider, either a number, a date (class Date), or a date-time (class POSIXt). A length one vector will create a regular slider; a length two vector will create a double-ended range slider. Must lie between min and max.
label_help	(shiny.tag, optional) an object of class shiny.tag. E.g. an object returned by <code>shiny::helpText()</code>
...	optional arguments to sliderInput

Value

(shiny.tag) HTML tag with sliderInput widget.

Examples

```
optionalSliderInput("a", "b", 0, 1, 0.2)
```

```
optionalSliderInputValMinMax
```

For teal modules we parameterize an optionalSliderInput with one argument value_min_max

Description

[Stable] The `optionalSliderInput()` function needs three arguments to determine whether to hide the sliderInput widget or not. For teal modules we specify an optional slider input with one argument here called `value_min_max`.

Usage

```
optionalSliderInputValMinMax(
  inputId,
  label,
  value_min_max,
  label_help = NULL,
  ...
)
```

Arguments

inputId	The input slot that will be used to access the value.
label	Display label for the control, or NULL for no label.
value_min_max	(numeric(1) or numeric(3)) If of length 1 then the value gets set to that number and the sliderInput will be hidden. Otherwise, if it is of length three the three elements will map to value, min and max of the optionalSliderInput() function.
label_help	(shiny.tag, optional) an object of class shiny.tag. E.g. an object returned by shiny::helpText()
...	optional arguments to sliderInput

Value

(shiny.tag) HTML tag with range sliderInput widget.

Examples

```
optionalSliderInputValMinMax("a", "b", 1)
optionalSliderInputValMinMax("a", "b", c(3, 1, 5))
```

panel_group

Panel group widget

Description

[Experimental]

Usage

```
panel_group(..., id = NULL)
```

Arguments

...	(shiny.tag) panels created by panel_group()
id	optional, (character)

Value

(shiny.tag)

panel_item	<i>Panel widget</i>
------------	---------------------

Description**[Experimental]****Usage**

```
panel_item(title, ..., collapsed = TRUE, input_id = NULL)
```

Arguments

title	(character) title of panel
...	content of panel
collapsed	(logical, optional) whether to initially collapse panel
input_id	(character, optional) name of the panel item element. If supplied, this will register a shiny input variable that indicates whether the panel item is open or collapsed and is accessed with <code>input\$input_id</code> .

Value

(shiny.tag)

parse_basic_table_args	<i>Parses basic_table_args object into the basic_table expression</i>
------------------------	---

Description**[Experimental]** A function to parse expression from the `basic_table_args` object.**Usage**

```
parse_basic_table_args(basic_table_args = teal.widgets::basic_table_args())
```

Arguments

basic_table_args	(basic_table_args) This argument could be a result of the resolve_basic_table_args() .
------------------	---

Value

(language) the `rtables::basic_table()` filled with additional arguments.

Examples

```
parse_basic_table_args(
  resolve_basic_table_args(
    user_table = basic_table_args(title = "TITLE"),
    user_default = basic_table_args(title = "DEFAULT_TITLE", subtitles = "SUBTITLE")
  )
)
```

`parse_ggplot2_args` *Parse ggplot2_args object into the ggplot2 expression*

Description

[Experimental] A function to parse expression from the `ggplot2_args` object.

Usage

```
parse_ggplot2_args(
  ggplot2_args = teal.widgets::ggplot2_args(),
  ggtheme = c("default", "gray", "bw", "linedraw", "light", "dark", "minimal", "classic",
             "void", "test")
)
```

Arguments

`ggplot2_args` (`ggplot2_args`)
 This argument could be a result of the `resolve_ggplot2_args()`.

`ggtheme` (`character(1)`)
 name of the `ggplot2` theme to be applied, e.g. "dark".

Value

(list) of up to three elements of class `language`: "labs", "ggtheme" and "theme".

Examples

```
parse_ggplot2_args(
  resolve_ggplot2_args(ggplot2_args(
    lab = list(title = "TITLE"),
    theme = list(title = ggplot2::element_text(size = 20))
  ))
)

parse_ggplot2_args(
```



```
resolve_ggplot2_args(  
  ggplot2_args(  
    lab = list(title = "TITLE"),  
    theme = list(title = ggplot2::element_text(size = 20))  
  )  
)  
,  
ggtheme = "gray"  
)
```

plot_with_settings_ui *Plot-with-settings module*

Description

[Stable] Universal module for plots with settings for height, width, and download.

Usage

```
plot_with_settings_ui(id)  
  
plot_with_settings_srv(  
  id,  
  plot_r,  
  height = c(600, 200, 2000),  
  width = NULL,  
  show_hide_signal = reactive(TRUE),  
  brushing = FALSE,  
  clicking = FALSE,  
  dblclicking = FALSE,  
  hovering = FALSE,  
  graph_align = "left"  
)
```

Arguments

id	(character(1)) shiny module id.
plot_r	(reactive or function) reactive expression or a simple function to draw a plot. A simple function is needed e.g. for base plots like plot(1) as the output can not be caught when downloading. Take into account that simple functions are less efficient than reactive, as not catching the result.
height	(numeric, optional) vector with three elements c(VAL, MIN, MAX), where VAL is the starting value of the slider in the main and modal plot display. The value in the modal display is taken from the value of the slider in the main plot display.

<code>width</code>	(numeric, optional) vector with three elements <code>c(VAL, MIN, MAX)</code> , where <code>VAL</code> is the starting value of the slider in the main and modal plot display; <code>NULL</code> for default display. The value in the modal display is taken from the value of the slider in the main plot display.
<code>show_hide_signal</code>	optional, (reactive logical a mechanism to allow modules which call this module to show/hide the <code>plot_with_settings</code> UI)
<code>brushing</code>	(logical, optional) a mechanism to enable / disable brushing on the main plot (in particular: not the one displayed in modal). All the brushing data is stored as a reactive object in the "brush" element of returned list. See the example for details.
<code>clicking</code>	(logical) a mechanism to enable / disable clicking on data points on the main plot (in particular: not the one displayed in modal). All the clicking data is stored as a reactive object in the "click" element of returned list. See the example for details.
<code>dblclicking</code>	(logical, optional) a mechanism to enable / disable double-clicking on data points on the main plot (in particular: not the one displayed in modal). All the double clicking data is stored as a reactive object in the "dblclick" element of returned list. See the example for details.
<code>hovering</code>	(logical(1), optional) a mechanism to enable / disable hovering over data points on the main plot (in particular: not the one displayed in modal). All the hovering data is stored as a reactive object in the "hover" element of returned list. See the example for details.
<code>graph_align</code>	(character(1), optional) one of "left" (default), "center", "right" or "justify". The alignment of the graph on the main page.

Details

By default the plot is rendered with 72 dpi. In order to change this, to for example 96 set `options(teal.plot_dpi = 96)`. The minimum allowed dpi value is 24 and it must be a whole number. If an invalid value is set then the default value is used and a warning is outputted to the console.

Value

A shiny module.

Examples

```
# Example using a reactive as input to plot_r
library(shiny)
app1 <- shinyApp(
  ui = fluidPage(
```

```

    plot_with_settings_ui(
      id = "plot_with_settings"
    )
  ),
  server = function(input, output, session) {
    plot_r <- reactive({
      ggplot2::ggplot(faithful, ggplot2::aes(x = waiting, y = eruptions)) +
        ggplot2::geom_point()
    })

    plot_with_settings_srv(
      id = "plot_with_settings",
      plot_r = plot_r,
      height = c(400, 100, 1200),
      width = c(500, 250, 750)
    )
  }
)

if (interactive()) {
  shinyApp(app1$ui, app1$server)
}

# Example using a function as input to plot_r
app2 <- shinyApp(
  ui = fluidPage(
    radioButtons("download_option", "Select the Option", list("ggplot", "trellis", "grob", "base")),
    plot_with_settings_ui(
      id = "plot_with_settings"
    ),
    sliderInput("nums", "Value", 1, 10, 1)
  ),
  server = function(input, output, session) {
    plot_r <- function() {
      numbers <- seq_len(input$nums)
      if (input$download_option == "ggplot") {
        ggplot2::ggplot(data.frame(n = numbers), ggplot2::aes(n)) +
          ggplot2::geom_bar()
      } else if (input$download_option == "trellis") {
        lattice::densityplot(numbers)
      } else if (input$download_option == "grob") {
        tr_plot <- lattice::densityplot(numbers)
        ggplot2::ggplotGrob(
          ggplot2::ggplot(data.frame(n = numbers), ggplot2::aes(n)) +
            ggplot2::geom_bar()
        )
      } else if (input$download_option == "base") {
        plot(numbers)
      }
    }
  }
)

plot_with_settings_srv(
  id = "plot_with_settings",

```

```

    plot_r = plot_r,
    height = c(400, 100, 1200),
    width = c(500, 250, 750)
  )
}
)

if (interactive()) {
  shinyApp(app2$ui, app2$server)
}

# Example with brushing/hovering/clicking/double-clicking
app3 <- shinyApp(
  ui = fluidPage(
    plot_with_settings_ui(
      id = "plot_with_settings"
    ),
    fluidRow(
      column(4, h3("Brush"), verbatimTextOutput("brushing_data")),
      column(4, h3("Click"), verbatimTextOutput("clicking_data")),
      column(4, h3("DbClick"), verbatimTextOutput("dblclicking_data")),
      column(4, h3("Hover"), verbatimTextOutput("hovering_data"))
    )
  ),
  server = function(input, output, session) {
    plot_r <- reactive({
      ggplot2::ggplot(faithful, ggplot2::aes(x = waiting, y = eruptions)) +
        ggplot2::geom_point()
    })

    plot_data <- plot_with_settings_srv(
      id = "plot_with_settings",
      plot_r = plot_r,
      height = c(400, 100, 1200),
      brushing = TRUE,
      clicking = TRUE,
      dblclicking = TRUE,
      hovering = TRUE
    )

    output$brushing_data <- renderPrint(plot_data$brush())
    output$clicking_data <- renderPrint(plot_data$click())
    output$dblclicking_data <- renderPrint(plot_data$dblclick())
    output$hovering_data <- renderPrint(plot_data$hover())
  }
)

if (interactive()) {
  shinyApp(app3$ui, app3$server)
}

# Example which allows module to be hidden/shown
library("shinyjs")

```

```

app4 <- shinyApp(
  ui = fluidPage(
    useShinyjs(),
    actionButton("button", "Show/Hide"),
    plot_with_settings_ui(
      id = "plot_with_settings"
    )
  ),
  server = function(input, output, session) {
    plot_r <- plot_r <- reactive(
      ggplot2::ggplot(faithful, ggplot2::aes(x = waiting, y = eruptions)) +
      ggplot2::geom_point()
    )

    show_hide_signal_rv <- reactiveVal(TRUE)

    observeEvent(input$button, show_hide_signal_rv(!show_hide_signal_rv()))

    plot_with_settings_srv(
      id = "plot_with_settings",
      plot_r = plot_r,
      height = c(400, 100, 1200),
      width = c(500, 250, 750),
      show_hide_signal = reactive(show_hide_signal_rv())
    )
  }
)

if (interactive()) {
  shinyApp(app4$ui, app4$server)
}

```

resolve_basic_table_args

Resolves and reduces multiple basic_table_args objects

Description

[Experimental] Resolving and reducing multiple basic_table_args objects. This function is intended to utilize user provided settings, defaults provided by the module creator and also teal option. See Details, below, to understand the logic.

Usage

```

resolve_basic_table_args(
  user_table = basic_table_args(),
  user_default = basic_table_args(),
  module_table = basic_table_args(),

```

```

    app_default = getOption("teal.basic_table_args", basic_table_args())
  )

```

Arguments

user_table	(basic_table_args) end user setup for <code>rtables::basic_table()</code> of a specific table. Created with the <code>basic_table_args()</code> function. The NULL value is supported.
user_default	(basic_table_args) end user default setup for <code>rtables::basic_table()</code> of a specific table. Created with the <code>basic_table_args()</code> function. The NULL value is supported.
module_table	(ggplot2_args) module creator setup for <code>rtables::basic_table()</code> of a specific table. Created with the <code>basic_table_args()</code> function. The NULL value is supported.
app_default	(basic_table_args) Application level setting. Can be NULL.

Details

The function picks the first non NULL value for each argument, checking in the following order:

1. `basic_table_args` argument provided by the end user. Per table (`user_table`) and then default (`user_default`) setup.
2. `app_default` global R variable, `teal.basic_table_args`.
3. `module_table` which is a module creator setup.

Value

`basic_table_args` object.

See Also

[parse_basic_table_args\(\)](#) to parse resolved list into list of calls.

Examples

```

resolve_basic_table_args(
  user_table = basic_table_args(title = "TITLE"),
  user_default = basic_table_args(title = "DEFAULT_TITLE", subtitles = "SUBTITLE")
)

```

resolve_ggplot2_args *Resolving and reducing multiple ggplot2_args objects*

Description

[Experimental] Resolving and reducing multiple ggplot2_args objects. This function is intended to utilize user provided settings, defaults provided by the module creator and also teal option. See Details, below, to understand the logic.

Usage

```
resolve_ggplot2_args(  
  user_plot = ggplot2_args(),  
  user_default = ggplot2_args(),  
  module_plot = ggplot2_args(),  
  app_default = getOption("teal.ggplot2_args", ggplot2_args())  
)
```

Arguments

user_plot	(ggplot2_args) end user setup for theme and labs in the specific plot. Created with the ggplot2_args() function. The NULL value is supported.
user_default	(ggplot2_args) end user setup for module default theme and labs. Created with the ggplot2_args() function. The NULL value is supported.
module_plot	(ggplot2_args) module creator setup for theme and labs in the specific plot. Created with the ggplot2_args() function. The NULL value is supported.
app_default	(ggplot2_args) Application level setting. Can be NULL.

Details

The function picks the first non NULL value for each argument, checking in the following order:

1. ggplot2_args argument provided by the end user. Per plot (user_plot) and then default (user_default) setup.
2. app_default global R variable, teal.ggplot2_args.
3. module_plot which is a module creator setup.

Value

ggplot2_args object.

See Also

[parse_ggplot2_args\(\)](#) to parse resolved list into list of calls.

Examples

```
resolve_ggplot2_args(
  user_plot = ggplot2_args(
    lab = list(title = "TITLE"),
    theme = list(title = ggplot2::element_text(size = 20))
  ),
  user_default = ggplot2_args(
    lab = list(x = "XLAB")
  )
)
```

standard_layout	<i>Create a standard UI layout with output on the right and an encoding panel on the left</i>
-----------------	---

Description

[Stable] This is the layout used by the teal modules.

Usage

```
standard_layout(
  output,
  encoding = NULL,
  forms = NULL,
  pre_output = NULL,
  post_output = NULL
)
```

Arguments

output	(shiny.tag) object with the output element (table, plot, listing) such as for example returned by shiny::plotOutput() .
encoding	(shiny.tag) object containing the encoding elements. If this element is NULL then no encoding side panel on the right is created.
forms	(tagList) for example shiny::actionButton() that are placed below the encodings panel
pre_output	(shiny.tag, optional) with text placed before the output to put the output into context. For example a title.
post_output	(shiny.tag, optional) with text placed after the output to put the output into context. For example the shiny::helpText() elements are useful.

Value

an object of class `shiny.tag` with the UI code.

table_with_settings *table_with_settings module*

Description

[Stable]

Usage

```
table_with_settings_ui(id, ...)
```

```
table_with_settings_srv(id, table_r, show_hide_signal = reactive(TRUE))
```

Arguments

<code>id</code>	An ID string that corresponds with the ID used to call the module's UI function.
<code>...</code>	(character) Useful for providing additional HTML classes for the output tag.
<code>table_r</code>	(reactive) reactive expression that yields an <code>rtable</code> object (<code>ElementaryTable</code> or <code>TableTree</code>)
<code>show_hide_signal</code>	(reactive logical, optional) a mechanism to allow modules which call this module to show/hide the <code>table_with_settings</code> UI.

Value

A shiny module.

Examples

```
library(shiny)
library(rtables)
library(magrittr)
app <- shinyApp(
  ui = fluidPage(
    table_with_settings_ui(
      id = "table_with_settings"
    )
  ),
  server = function(input, output, session) {
    table_r <- reactive({
      l <- basic_table() %>%
        split_cols_by("ARM") %>%
```

```

        analyze(c("SEX", "AGE"))

tbl <- build_table(1, DM)

tbl
})

table_with_settings_srv(id = "table_with_settings", table_r = table_r)
}
)
if (interactive()) {
  app
}

```

verbatim_popup

A shiny module that pops up verbatim text.

Description

[Experimental] This module consists of a button that once clicked pops up a modal window with verbatim-styled text.

Usage

```

verbatim_popup_ui(id, button_label, type = c("button", "link"), ...)

verbatim_popup_srv(
  id,
  verbatim_content,
  title,
  style = FALSE,
  disabled = shiny::reactiveVal(FALSE)
)

```

Arguments

id	(character(1)) the shiny id
button_label	(character(1)) the text printed on the button
type	(character(1)) specifying whether to use [shiny::actionButton()] or [shiny::actionLink()].
...	additional arguments to [shiny::actionButton()] (or [shiny::actionLink()]).
verbatim_content	(character, expression, condition or reactive(1) holding any of the above) the content to show in the popup modal window
title	(character(1)) the title of the modal window

style	(logical(1)) whether to style the verbatim_content using <code>styler::style_text</code> . If <code>verbatim_content</code> is a condition or reactive holding condition then this argument is ignored
disabled	(reactive(1)) the shiny reactive value holding a logical. The popup button is disabled when the flag is TRUE and enabled otherwise.

Value

the UI function returns a `shiny.tag.list` object

Examples

```
ui <- shiny::fluidPage(verbatim_popup_ui("my_id", button_label = "Open popup"))
srv <- function(input, output) {
  verbatim_popup_srv(
    "my_id",
    "if (TRUE) { print('Popups are the best') }",
    title = "My custom title",
    style = TRUE
  )
}
if (interactive()) shiny::shinyApp(ui, srv)
```

white_small_well	<i>Adds Class Small Well and overflow-x property to HTML output element</i>
------------------	---

Description

[Stable]

Usage

```
white_small_well(...)
```

Arguments

... other arguments to pass to tag object's div attributes.

Details

`white_small_well` is intended to be used with `shiny::uiOutput()`. The `overflow-x` property is set to `auto` so that a scroll bar is added when the content overflows at the left and right edges of the output window. For example, this is useful for displaying wide tables.

Value

An HTML output element with class Small Well and `overflow-x` property

Examples

```
white_small_well(shiny::htmlOutput("summary"))
```

Index

`basic_table_args`, 2
`basic_table_args()`, 22

`clean_brushedPoints`, 3

`draggable_buckets`, 4

`get_dt_rows`, 5
`ggplot2::labs()`, 6
`ggplot2::theme()`, 6
`ggplot2_args`, 6
`ggplot2_args()`, 23

`nested_closeable_modal`, 7

`optionalSelectInput`, 9
`optionalSliderInput`, 12
`optionalSliderInput()`, 13, 14
`optionalSliderInputValMinMax`, 13

`panel_group`, 14
`panel_group()`, 14
`panel_item`, 15
`parse_basic_table_args`, 15
`parse_basic_table_args()`, 3, 22
`parse_ggplot2_args`, 16
`parse_ggplot2_args()`, 7, 24
`pickerOptions`, 10
`plot_with_settings_srv`
 (`plot_with_settings_ui`), 17
`plot_with_settings_ui`, 17

`resolve_basic_table_args`, 21
`resolve_basic_table_args()`, 3, 15
`resolve_ggplot2_args`, 23
`resolve_ggplot2_args()`, 7, 16
`rtables::basic_table()`, 3, 22

`shiny::actionButton()`, 24
`shiny::helpText()`, 10, 13, 14, 24
`shiny::plotOutput()`, 24

`shiny::uiOutput()`, 27
`shinyWidgets::pickerInput()`, 9
`standard_layout`, 24

`table_with_settings`, 25
`table_with_settings_srv`
 (`table_with_settings`), 25
`table_with_settings_ui`
 (`table_with_settings`), 25

`updateOptionalSelectInput`
 (`optionalSelectInput`), 9

`verbatim_popup`, 26
`verbatim_popup_srv` (`verbatim_popup`), 26
`verbatim_popup_ui` (`verbatim_popup`), 26

`white_small_well`, 27